

HL340N


extension 80mm/d 110mm incl. O-ring



extension 80 mm / d 110 mm incl. O-ring



Techn. drawing



TECHNICAL DATA

material	PP	installation height	80 mm
dimension	d 110 mm	grate frame	
capacity		grate	
weight	0,075	load class	

EAN

9003076003402

inlet

standards

MAIN DATA

spare parts



HL01067D

O-ring 92x4mm

attachment



HL619

fixing brackets

extensions



HL340N

extension 80mm/d 110mm incl. O-ring



HL85N

extension with flange incl. O-ring



HL85NC

extension d 110mm CeraDrain with polymer concrete collar incl. O-ring



HL85NH

extension incl. O-ring with bitumen membrane

used with



HL37NP

grating d 110mm/PVC-collar 185x185mm/115x115mm



HL37NP.1

grating d 110mm/PVC-collar 185x185mm/115x115mm with trap seal



HL37NPPr

grating d 110mm/PVC-collar 185x185mm/115x115mm and trap seal Primus

PACKAGING DATA

PE-bag

unit	1 [pcs.]
weight	0,084 [kg]
EAN/pack.	9003076003402
height/width/depth	110/120/120 [mm]
volume	0,001218 [m ³]

DOWNLOADS

Foto Print

HL340N_pr.tif

max.

Foto Web	HL340N_B.jpg	640x480/300dpi
Foto Parts List	HL340N_gr.jpg	150x150/72dpi
Techn. drawing	HL340N_a.pdf	pdf
CAD	HL340N_2_a.dxf	dxf