

1. *Unique identification code of the product-type:*

**BRASS BALL AND STOP VALVES FOR WATER SUPPLY AND HEATING INSTALLATIONS  
THS THERMOSTYLE**

2. *Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11, section 4*

ITEM №	Item
40001	BRASS STOP VALVE 1/2" THS THERMOSTYLE
40002	BRASS STOP VALVE 3/4" THS THERMOSTYLE
40008	BRASS STOP VALVE 1" THS THERMOSTYLE
40003	BRASS STOP VALVE WITH AIRVENT 1/2" THS THERMOSTYLE
40004	BRASS STOP VALVE WITH AIRVENT 3/4" THS THERMOSTYLE
40005	BRASS CARTAGE /STEEL HANDLE/ FOR BRASS STOP VALVE 1/2" THS THERMOSTYLE
40006	BRASS CARTAGE /STEEL HANDLE/ FOR BRASS STOP VALVE 3/4" THS THERMOSTYLE
40009	BRASS CARTAGE /STEEL HANDLE/ FOR BRASS STOP VALVE 1" THS THERMOSTYLE
4020	BRASS BALL VALVE FF 1/2" LONG HANDLE THS THERMOSTYLE with screw under
4021	BRASS BALL VALVE FF 3/4" LONG HANDLE THS THERMOSTYLE with screw under
4022	BRASS BALL VALVE FF 1" LONG HANDLE THS THERMOSTYLE with screw under
4023	BRASS BALL VALVE FF 1 1/4" LONG HANDLE THS THERMOSTYLE with screw unde
4024	BRASS BALL VALVE FF 1 1/2" LONG HANDLE THS THERMOSTYLE with screw unde
4025	BRASS BALL VALVE FF 2" LONG HANDLE THS THERMOSTYLE with screw under
474	BRASS BALL VALVE FF 2 1/2" LONG HANDLE THS THERMOSTYLE with screw unde
480	BRASS BALL VALVE FF 3" LONG HANDLE THS THERMOSTYLE with screw under
481	BRASS BALL VALVE FF 4" LONG HANDLE THS THERMOSTYLE with screw under
193	BRASS BALL VALVE FM 1/2" LONG HANDLE THS THERMOSTYLE with screw under
194	BRASS BALL VALVE FM 3/4" LONG HANDLE THS THERMOSTYLE with screw under
1941	BRASS BALL VALVE FM 1" LONG HANDLE THS THERMOSTYLE with screw under
4014	BRASS BALL VALVE FM 1 1/4" LONG HANDLE THS THERMOSTYLE with screw unde
4015	BRASS BALL VALVE FM 1 1/2" LONG HANDLE THS THERMOSTYLE with screw unde
4016	BRASS BALL VALVE FM 2" LONG HANDLE THS THERMOSTYLE with screw under
26	BRASS BALL SEWAGE VALVE FF 1/2" LONG HANDLE THS THERMOSTYLE with screw
27	BRASS BALL SEWAGE VALVE FF 3/4" LONG HANDLE THS THERMOSTYLE with screw
271	BRASS BALL SEWAGE VALVE FF 1" LONG HANDLE THS THERMOSTYLE with screw u
28	BRASS BALL SEWAGE VALVE FF 1 1/4" LONG HANDLE THS THERMOSTYLE with scr
29	BRASS BALL SEWAGE VALVE FF 1 1/2" LONG HANDLE THS THERMOSTYLE with scr
30	BRASS BALL SEWAGE VALVE FF 2" LONG HANDLE THS THERMOSTYLE with screw u
4018	SEWAGE END FOR BALL VALVE 1/4" THS THERMOSTYLE
4004	BRASS BALL VALVE FF 1/2" BUTTERFLY HANDLE THS THERMOSTYLE with screw
4005	BRASS BALL VALVE FF 3/4" BUTTERFLY HANDLE THS THERMOSTYLE with screw
4006	BRASS BALL VALVE FF 1" BUTTERFLY HANDLE THS THERMOSTYLE with screw un
4007	BRASS BALL VALVE FM 1/2" BUTTERFLY HANDLE THS THERMOSTYLE with screw u
4008	BRASS BALL VALVE FM 3/4" BUTTERFLY HANDLE THS THERMOSTYLE with screw u
4009	BRASS BALL VALVE FM 1" BUTTERFLY HANDLE THS THERMOSTYLE with screw und
7735	BRASS BALL VALVE MM 1/2" BUTTERFLY HANDLE THS Thermostyle®
7736	BRASS BALL VALVE MM 3/4" BUTTERFLY HANDLE THS Thermostyle®
7737	BRASS BALL VALVE MM 1" BUTTERFLY HANDLE THS Thermostyle®
4010	BRASS BALL VALVE STRAIGHT WITH UNION 1/2" BUTTERFLY HANDLE THS with sc
4011	BRASS BALL VALVE STRAIGHT WITH UNION 3/4" BUTTERFLY HANDLE THS with sc
4012	BRASS BALL VALVE STRAIGHT WITH UNION 1" BUTTERFLY HANDLE THS with scre
1703	BRASS BALL VALVE STRAIGHT WITH UNION 1 1/4" BUTTERFLY HANDLE THS scre
412	BRASS ANGLE BALL VALVE WITH UNION 1/2" BUTTERFLY HANDLE THS THERMOSTYL
413	BRASS ANGLE BALL VALVE WITH UNION 3/4" BUTTERFLY HANDLE THS THERMOSTYL
414	BRASS ANGLE BALL VALVE WITH UNION 1" BUTTERFLY HANDLE THS THERMOSTYLE
7738	BRASS BALL VALVE 1/2" WITH NUT CON. BUTTERFLY HANDLE THS Thermostyle®
7739	BRASS BALL VALVE 3/4" WITH NUT CON. BUTTERFLY HANDLE THS Thermostyle®
7740	BRASS BALL VALVE 1" WITH NUT CON. BUTTERFLY HANDLE THS Thermostyle®

DECLARATION THS001/5

Item No	Item
425	BRASS CHROME ANGLE STOP VALVE 1/2"*3/8" METAL HANDLETHS Thermostyle®
4072	BRASS CHROME ANGLE STOP VALVE 1/2"*1/2" METAL HANDLE THS Thermostyle®
4047	BRASS CHROME PLATED ANGLE BALL VALVE 1/2"*3/8" THS THERMOSTYLE
4094	BRASS CHROME PLATED ANGLE BALL VALVE 1/2"*1/2" THS THERMOSTYLE
4028	BRASS CHROME PLATED ANGLE BALL VALVE 1/2"*3/4" THS THERMOSTYLE
460	BRASS CHROME ANGLE BALL VALVE WITH STRAINER-METAL HANDLE 1/2"*3/8" THS
435	BRASS CHROME ANGLE BALL VALVE WITH STRAINER-METAL HANDLE 1/2"*1/2" THS
433	BRASS CHROME ANGLE BALL VALVE WITH STRAINER-METAL HANDLE 1/2" x 3/4"
4074	BRASS ANGLE STOP VALVE 1/2"*3/8" PLATINIUM THS THERMOSTYLE
4075	BRASS ANGLE STOP VALVE 1/2"*1/2" PLATINIUM THS THERMOSTYLE
4076	BRASS ANGLE STOP VALVE 1/2"*3/4" PLATINIUM THS THERMOSTYLE
4090	BRASS STOP VALVE 1/2"*3/8" WITH NUT Φ10mm TOP SILVER THS
40901	BRASS STOP VALVE 1/2"*3/8" WITH NUT Φ10mm TOP GOLD THS
6774	CHROME PLATED CU PIPE 10MM FOR WASH BASIN 10*50 CM
6770	CHROME PLATED CU PIPE 10 MM WITH NUT 3/8" * 40 CM
6771	CHROME PLATED CU PIPE 10 MM WITH NUT 3/8" * 100 CM
6772	CHROME PLATED CU PIPE 10 MM WITH NUT 1/2" * 40 CM
6773	CHROME PLATED CU PIPE 10 MM WITH NUT 1/2" * 100 CM
4091	BRASS STOP VALVE 1/2"*3/8" TOP SILVER THS THERMOSTYLE
4092	BRASS STOP VALVE 1/2"*1/2" TOP SILVER THS THERMOSTYLE
4093	BRASS STOP VALVE 1/2"*3/4" TOP SILVER THS THERMOSTYLE
40911	BRASS STOP VALVE 1/2"*3/8" TOP GOLD THS THERMOSTYLE
40921	BRASS STOP VALVE 1/2"*1/2" TOP GOLD THS THERMOSTYLE
40931	BRASS STOP VALVE 1/2"*3/4" TOP GOLD THS THERMOSTYLE
4031	BRASS STOP VALVE 1/2"*3/8" SHARP SILVER THS THERMOSTYLE
4032	BRASS STOP VALVE 1/2"*1/2" SHARP SILVER THS THERMOSTYLE
4033	BRASS STOP VALVE 1/2"*3/4" SHARP SILVER THS THERMOSTYLE
40311	BRASS STOP VALVE 1/2"*3/8" SHARP GOLD THS THERMOSTYLE
40321	BRASS STOP VALVE 1/2"*1/2" SHARP GOLD THS THERMOSTYLE
40331	BRASS STOP VALVE 1/2"*3/4" SHARP GOLD THS THERMOSTYLE
9500	CHROM PLATED ROSSETTE TOP SILVER 1/2" THS THERMOSTYLE
9501	CHROM PLATED ROSSETTE TOP GOLD 1/2" THS THERMOSTYLE
9978	BRASS STOP VALVE 1/2"*1/2" OVAL CHROME THS THERMOSTYLE
9979	BRASS STOP VALVE 1/2"*1/2" OVAL BLACK THS Thermostyle
10006	ROSE BRASS STOP VALVE 1/2"*1/2" THS Thermostyle®
8983	BRASS ANGLE VALVE WITH STRAINER 1/2" * 3/8" TOP THS Thermostyle®
8984	BRASS ANGLE VALVE WITH STRAINER 1/2" * 1/2" TOP THS Thermostyle®
8985	BRASS ANGLE VALVE WITH STRAINER 1/2" * 3/4" TOP THS Thermostyle®
8308	body of 7510+7511+ new model metal handle + better rosset in THS euro
5909	VALVE FOR WASHING MACHINE PIPE 3/4" THS THERMOSTYLE BRASS CHROM PLATED
437	BRASS CHROME PLATED TEE ANGLE VALVE 1/2" M * 3/4" M * 1/2" F THS THERM
43	MINI BRASS BALL VALVE FF 3/8" BLUE HANDLE THS THERMOSTYLE
4301	MINI BRASS BALL VALVE FF 3/8" RED HANDLE THS THERMOSTYLE
420	MINI BRASS BALL VALVE FM 3/8" BLUE/RED HANDLE THS THERMOSTYLE
4201	MINI BRASS BALL VALVE FM 3/8" RED HANDLE THS THERMOSTYLE
4231	MINI BRASS BALL VALVE FF 1/2" BLUE HANDLE CHROME PLATED THS THERMOSTYL
4232	MINI BRASS BALL VALVE FF 1/2" RED HANDLE CHROME PLATED THS THERMOSTYLE
431	MINI BRASS BALL VALVE FM 1/2" BLUE HANDLE CHROME PLATED THS THERMOSTYL
432	MINI BRASS BALL VALVE FM 1/2" RED HANDLE CHROME PLATED THS THERMOSTYLE
41	MINI BRASS BALL VALVE FM 1/2" BLUE HANDLE NICKEL PLATED THS THERMOSTYLE
42	MINI BRASS BALL VALVE FM 1/2" RED HANDLE NICKEL PLATED THS THERMOSTYLE
419	MINI BRASS BALL VALVE MM 1/2" RED HANDLE CHROME PALTED THS THERMOSTYLE
424	MINI BRASS BALL VALVE FM 3/4" RED HANDLE NICKEL PLATED THS THERMOSTYLE

31	BRASS GATE VALVE 1/2" THS THERMOSTYLE
32	BRASS GATE VALVE 3/4"THS THERMOSTYLE
33	BRASS GATE VALVE 1" THS THERMOSTYLE
34	BRASS GATE VALVE 1 1/4" THS THERMOSTYLE
35	BRASS GATE VALVE 1 1/2" THS THERMOSTYLE
36	BRASS GATE VALVE 2" THS THERMOSTYLE
100702	BRASS BALL VALVE 1/2" FF FOR IMMERSION TEMPERATURE SENSORS THS ®
100703	BRASS BALL VALVE 3/4" FF FOR IMMERSION TEMPERATURE SENSORS THS ®

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**As components in domestic and commercial not directly buried installations inside or outside buildings . For water supply or heating installation. Suitable for contact with drinking water**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer :

„JOZI 2009“ Ltd.  
Jivko Nikolov str. No.29-31, 1000 Sofia, Bulgaria  
Email: [office@thermostyle.bg](mailto:office@thermostyle.bg)  
Tel.: 02 938 11 23

5. Where applicable, name and contact address of the authorized representative  
**Not applicable**

6. Performance concerning a construction product for which it has been granted a European Technical Assessment:  
Compliance with standards:

BDS EN 1074-1:2004  
BDS EN 1074-2:2004  
BDS EN 1074-2:2004 /A1:2006

**Water supply fittings. Requirements for fitness for intended use and appropriate verification tests**

Certificate № 17 (2) - HYPBCПCPБ - 223 C

Issued date: 02.11.2023

Expire date: 01.11.2025

"Certification at the National Institute for Certification and Research" Ltd.  
Bulgaria, Sofia, Krasno selo district, street "20-th Septemvri" №13

"Certification at the National Institute for Certification and Research" Ltd.

7. Declared performance

Jozi 2009 Ltd. EU, Bulgaria, Sofia Str. Jivko Nikolov 29-31  
Web: [www.thermostyle.bg](http://www.thermostyle.bg) Email: [office@thermostyle.bg](mailto:office@thermostyle.bg)  
Tel. : +359 02 418 52 36

Essential characteristic	Performance	Test method/ calculation/determination
Resistance to internal pressure of the body and all parts under pressure	Pass	BDS EN 1074-1:2004; BDS EN 1074-2:2004; т.5.1.1 P=(1,5xPN) bar With water;
Resistance of the closing body to internal pressure	15 min без повреди и течове	BDS EN 1074-1:2004; BDS EN 1074-2:2004; т.5.1.2 P=(1,5xPN) bar with water;
Internal pressure tightness of the casing (body) and all parts under pressure	Pass	BDS EN 1074-1:2004; BDS EN 1074-2:2004; т.5.2.1.1 P=(1,5xPN) bar with water;
Airtightness of the casing (body) at a certain high pressure	Pass	BDS EN 1074-1:2004; BDS EN 1074-2:2004; т.5.2.2.1 P=(1,1xPN) bar with water;
Airtightness of the casing (body) at a certain high pressure	Pass	BDS EN 1074-1:2004; BDS EN 1074-2:2004; т.5.2.2.2 P= 0,5 bar with water;

8. The performance of the product identified at points 1 and 2 is in conformity with the declared performance at point 7

9. This declaration of performance is issued under the sole responsibility of the manufacturer identified at point 4.

Sofia 08.09.2025

Georgi Georgiev  
General Manager  
Jozi 2009 Ltd.

